

## 5.4 VNNOX AD & VNNOX Standard Feature Comparison



VNNOX AD & VNNOX Standard Feature Comparison.xlsx

Feature	VNNOX AD	VNNOX Standard	Remarks
<b>Supported Media Types</b>			
Image	JPG, PNG, ICO, JPEG, BMP, GIF	JPG, PNG, ICO, JPEG, BMP, GIF	5 GB of cloud storage provided for a new user by default
Video	MP4, AVI, RMVB, MOV, FLV, MKV, WMV	MP4, AVI, RMVB, MOV, FLV, MKV, WMV	
Document	Word, Excel, PPT, PDF	Word, Excel, PPT, PDF	
Scrolling text			Scrolling from left/right/bottom, flipping, and static
Streaming media			N/A
Web page			N/A
Dynamic data source (RSS)			N/A
Other media widgets	Analog clock Digital clock Text Weather Calendar Window	Analog clock Digital clock Text Weather Calendar Window	N/A
Online preview of media			Solution pages currently cannot be previewed in VNNOX Standard.
Audio	MP3	MP3	Used for the background audio of text and images only.
Cloud backup of media files			N/A
Cut-to-display media		×	Suitable for strip-shaped screens
<b>Solution Scheduling</b>			
Custom media playback order and playback duration			Can be customized in the playlist module of VNNOX AD or during solution page editing in VNNOX Standard.
Playback effect settings			N/A
Custom times of playback			N/A
Playlist playback			N/A
Solution insertion		×	Scheduled insertion and periodical insertion
Non-scheduled content		×	N/A
Location targeting		×	Suitable for vehicle-mounted screens. Solutions can be switched automatically according to GPS to enable location targeting. <b>This is a custom function and requires access permission.</b>
Emergency insertion		×	Can play emergency notifications. Users can choose whether to pause the solution being played. <b>This is a custom function and requires access permission.</b>
Background music		×	<b>This is a custom function and requires access permission.</b>
Custom solution playback time			VNNOX AD allows users to set more types of periodical playback schedules.
Multi-window (multi-layer) playback			The number of windows that can be added depends on the hardware configuration and the content to play.
Independent solution update on each layer		×	N/A
Media validity settings		×	N/A
Synchronous playback			Works with time synchronization to enable synchronous playback across multiple terminals. Issue: The new playback scheduling method can cause incomplete playback of media. Suggestion: Apply synchronous playback only when it is demanded by the customer.

Automatic non-adjacent sorting of playlist		×	A patented algorithm is used to match the special requirements of commercial advertisers, saving a lot of time for them to schedule ads. Other products in this industry do not support this kind of function.
Collaborative ad scheduling		×	The operation mode of collaborative outdoor media source scheduling is designed for big outdoor screens with high commercial value.
Sub-playlists		×	Suitable for commercial advertisers in Europe and America. Works with the system permission control system to satisfy the requirements of ad scheduling for outdoor screens. Scala and Broadsign also support this kind of function.
Import of list presets and automatic generation of playlists		×	N/A
<b>Remote Control</b>			
Screen online status monitoring			N/A
Terminal playback monitoring			Remote screenshot allows users to view the content being played by the terminal and check whether the content is secure.
Terminal power control (turn off screens)			This can take effect after the power supply is connected to a multifunction card and the power configuration is done. The cloud platform also allows board relays to control power supplies (The client software is required to complete the configuration).
Screen brightness control			N/A
Device volume control			N/A
Black screen settings in an emergency			N/A
Video source settings			N/A
Terminal restart			N/A
Terminal data usage monitoring			N/A
Terminal storage cleanup			N/A
Terminal location display			N/A
Terminal time synchronization and synchronous playback (Time synchronization via Internet & LAN)			NTP time synchronization depends on the network and the minimum delay can be 300 ms. The minimum delay of RF time synchronization can be 30 ms and an RF module is required. RF time synchronization is ideal for lamp-post screens, indoor advertising machines, etc. that require synchronous playback.
GPS time synchronization	×		N/A
Remote management of terminal apps	×		This is a custom function and requires access permission.
Terminal time zone and time settings			N/A
Periodical control plan settings			N/A
Accessible by mobile phone and tablet			N/A
<b>Remote Monitoring</b>			
Real-time monitoring of screen conditions			Users can view the snapshots captured by the camera, screen fault information, control system temperature, screen status overview (online time and data usage of the current month), and storage usage on the cloud platform.
<b>System Logs and Security</b>			
Solution play logs			Search criteria include date range, type, player, etc. The system can automatically record media play count and duration (accurate to the millisecond).
Remote control logs			View the execution results of control commands

Custom play log properties		x	To satisfy the requirements of commercial advertisers, VNNOX AD allows users to add more properties to media resources to record more key information.
Media approval			The system currently does not support solution approval. This function is ideal for the projects sensitive to data security.
<b>Service Management\System Permission Settings</b>			
Player group management			Important to the cluster projects with a large number of terminals
Sub-user accounts			Designed for enterprise customers and project agents
Custom sub-user permissions			N/A
Workgroup creation			Works with permission control to enable data privacy protection and service data isolation. Suitable for large-scale cluster control requirements or big companies with a high demand for data security.
Custom system information (OEM)			N/A
Supported display languages	Chinese, English, Japanese, French, Spanish	Chinese, English, Japanese, French, Spanish	N/A