

VPlayer



Change History

Version	Release Date	Description
V3.8.0	2020-10-11	Added 5 functions:
		Added an Automatic Upgrade option in the setup wizard of VPlayer. This option is selected by default.
		 Works with ViPlex Express V2.4.0 or later to enable the playback method of scrolling Excel table media from bottom.
		 Added a Video Decoder field in > Settings.
		In
		 Allows the play logs of the current day to be uploaded.
		Improved 4 functions:
		Stay on Top effect of the playback window
		 Playback performance of cut-to-display videos
	G)	Effect of synchronous playback
	. 53	Efficiency of downloading media
		Fixed 12 problems:
		• The screen flashes when media items overlap.
		 The playback gets stuck while media switching.
		 Set focus during media switching.
		 Playing videos on Windows 7 with an AMD graphics card for a long time causes the playback to crash.
		 The playback of cut-to-display on Windows 7 crashes.
		 The playback gets stuck when VPlayer is loading high definition images.
		 The playback gets stuck when multiple scrolling text media are being played on one page.
		 The scrolling effect of rich text cannot match audio for synchronization.
		 The screen goes black during the playback of images and office files.
		 When image or text media are placed on cutting lines, the playback effects are not displayed completely.
		Colorful text is displayed with outlines.
		When colorful text has transparent colors, the screen

Version	Release Date	Description
		image gets blurred while displaying the colorful text.
V3.7.0	2020-07-10	Added 1 function:
		Provides VPlayer helper allowing users to download logs, clear cache, and detect system information and playback environment.
		Improved 1 function:
		Reconstructed modules such as scheduling, digital clock and timer to improve the playback effect.
		Fixed 2 problems:
		Scrolling text and colorful text flutter.
		 The user interface resolution of VPlayer is not adaptive to that of the 4K monitor.
V3.6.0	2020-05-18	Improved 1 function:
		Improved the data in the communication layer.
		Fixed 7 problems:
		 The screen goes green when playing a cut-to-display video.
		 The streaming media page overlaps other media pages during playback.
		 Text and image media on pages flicker during playback.
	100	• In the solutions for ultra-long screens, cut-to-display text, image and colorful text cannot be played.
	21,	 When the text on an analog clock has multiple lines, the text only in the first line is displayed during playback.
		 When a page contains no media, it cannot switch to another page.
		• The software crashes when playing a 4K video on a computer with 4G RAM.
V3.5.0	2020-04-09	Added 3 functions:
		File tamper-proofing.
		 Supports 32-bit operating system.
		Supports audio playback.
		Fixed 2 problems:
		Playback of text in cut-to-display media gets stuck.
		 When synchronous playback is turned off and there are too many media items in a window media, not all the media items are played.
V3.3.0	2019-10-30	Added 1 function:
		Emergency insertion
		Improved 2 functions:
		Reconstructed the scheduling mechanism to improve

Version	Release Date	Description
		preview and playback speed.
		 Reconstructed the communication mechanism to reduce resource consumption.
V3.2.5	2019-10-25	Fixed 1 problem:
		When a solution containing an image overlaid with weather media is being played, the display of the weather media is delayed.
V3.2.2	2019-10-10	Fixed 2 problems:
		The screen goes black during switching of solutions which contain images overlaid with text. Disk space usage increases continually during the
		 Disk space usage increases continually during the running of VPlayer.
V3.2.1	2019-09-27	Fixed 1 problem:
		Scrolling text is not centered.
V3.2.0	2019-09-20	Added 3 functions:
		Cut-to-display media
		Dynamic borders
		Background audio of text and images
		Improved 1 function:
1/0.4.0	2010 20 20	Method of binding to the cloud platform
V3.1.0	2019-08-23	Added 3 functions:
		 Can detect Xiaoniao wallpapers. UI Language is mutually in sync with that of ViPlex Express.
	\mathcal{O}	Can encrypt the passwords recorded in the local database.
		Optimized 1 function:
		Reconstruct the scheduling module.
V2.5.3	2019-08-16	Fixed 1 problem:
		The screen goes black after a multi-window text solution is played for more than two days.
V2.5.2	2019-05-31	Added 1 function:
		Software language supports Japanese, Korean, French and Spanish.
V2.5.1	2019-05-22	Added 2 functions:
		Turning on/off video volume
		Turning on/off hardware acceleration
		This document has 3 updates:
		 Added the "Configuration Options Checking" and "FAQ" chapters.
		Updated the cover and added a back cover.

www.novastar.tech iii

Version	Release Date	Description
		Updated the description related to VNNOX.
		Fixed 3 problems:
		The screen goes black while switching image to video.
		When all the media items in an inserted playlist have expired, a black screen is displayed during the insertion period.
		After streaming media is switched to other media, the sound of the streaming media does not disappear.

Contents

Change History	i
Contents	v
1 Introduction	1
2 Installation	2
3 Player Binding	3
4 Configuration Options Checking	7
4.1 Windows Automatic Update	7
4.2 Firewall	
4.3 Screen off and Sleep	9
4.4 Scaling Size and Multiple Displays	9
4.5 UAC	10
4.6 Antimalware Service Executable	11
4.7 Superfetch	
5 General Functions	13
5.1 Setting Display Window	13
5.2 Locking Screen	13
5.3 Setting System Information	14
5.4 Using VPlayer Helper	14
5.5 Checking Software Information	15
6 FAQ	16
6.1 How to deal with the problem that a video cannot be played normally?	16
6.2 How to got the inhound firewall rules?	16

Introduction

VPlayer is an application from NovaStar. It works as a terminal player which can be used for devices installed with Windows.

On public networks, VPlayer can work with the cloud-based publishing system of VNNOX. After binding VPlayer and a synchronous player in the cloud-based publishing system, users can remotely manage content and control terminals via VPlayer.

On LANs, VPlayer can work with ViPlex Express LAN-Based Screen Management Software. ViPlex Express can search for and connect to VPlayer automatically. After logging in to VPlayer in ViPlex Express, users can publish solutions to VPlayer and upgrade the version of VPlayer.

After VPlayer downloads solutions to the specified location, the solutions will be played according to the playback plan set by users.

2 Installation

Preparation

- Visit www.en.vnnox.com/#downloadSyn to download the VPlayer installer.
- Make sure your antivirus software is stopped.
- Make sure your operating system is 64-bit Windows 7 SP1 or later.
- Make sure Microsoft .NET Framework 4.6.1 is installed.
- Make sure Microsoft Visual C++ 2017 Redistributable is installed.

Requirements

To ensure normal communication between ViPlex Express and VPlayer, install these two applications on:

- The same PC.
- Different PCs on the same LAN.
- PCs on different network segments which can be pinged successfully.

The cloud-based publishing system of VNNOX has no specific requirements for VPlayer.

Installation

Double click the installer and complete the installation according to the wizard.

3 Player Binding

When working with the cloud-based publishing system of VNNOX, VPlayer must be bound to a synchronous player and then can communicate with the cloud-based publishing system.

Only one synchronous player can be bound to VPlayer.

Checking Authentication Information


- Step 1 Visit www.en.vnnox.com and click **Login** at the top right of the page.
- Step 2 Select a server node and click OK.
- Step 3 Enter the account name and password, and click Log In.


If email verification or SMS verification is enabled, email verification or SMS verification will be required when you log in to VNNOX. If you have not bound an email or phone, you will be required to bind an email or phone when you log in to VNNOX.

- Step 4 On the homepage of the cloud platform, choose $\stackrel{ extstyle extstyle$
- Step 5 In the VNNOX Standard/AD Authentication Information area, view Server Address, Authentication User Name, and Authentication Password.

Binding Players

Step 1 Open VPlayer, as shown in Figure 3-1.






Note: The string at the bottom right of the page is the unique ID of VPlayer. The ID consists of "VPlayer_hard disk serial number" which is used to distinguish VPlayer in the terminal list of ViPlex Express. If the hard disk serial number is longer than 8 characters, the ID will use the last 8 characters.

Step 2 On the **Config** tab page, select a server from the drop-down options, or click **New** to add a server.

When you add a server, make sure that the server address must be the same as the address in VNNOX.

Step 3 Enter the authentication user name and password which must be the same as those in VNNOX.


Figure 3-2 Authentication information



- Step 4 Click OK.
- Step 5 In the prompt box which says the player was bound successfully, click **OK**.

 After the player is bound successfully, the page shown in Figure 3-3 is displayed.

Figure 3-3 Binding successful



Related Operations

If you want to reset parameters, click Reset.

If you want to remove binding, log in to VNNOX and perform the following operations according to the actual situation:

- VNNOX Standard: On the Players page, click
- VNNOX AD: Choose > Players Management > Players, select the player and click Delete.

4

Configuration Options Checking

To ensure stable playback of VPlayer, please check the Windows configuration options shown in Table 4-1. If a configuration option does not conform to the target status, please change it. This chapter takes Windows 10 as an example.

Table 4-1 Configuration options

Configuration Options	Target Status
Windows automatic update	Off
Firewall	• Off
	Allow program connection
	Conforms to any of the above statuses.
, , , 5 1	When VPlayer works with the cloud-based publishing system of VNNOX. Users do not need to check the firewall.
Turn off screen	Never
Sleep	Never
Scaling size	100%
Multiple displays	Duplicate these displays
UAC	Never notify
Antimalware Service Executable	Disabled
Superfetch	Manual


4.1 Windows Automatic Update

Step 1 Click in the Windows Start menu.

Step 2 Choose Update & Security.

- Step 3 On the Windows Update page, click Advanced options.
- Step 4 Check whether Windows automatic update is turned off.

Figure 4-2 Windows automatic update



4.2 Firewall


When VPlayer and ViPlex Express work together, users are advised to turn off the Windows firewall or allow program connection to ensure normal communication. When VPlayer works with the cloud-based publishing system of VNNOX, users do not need to check the Windows firewall.

- Step 1 Click in the Windows Start menu.
- Step 2 Choose Update & Security.
- Step 3 Windows Security.
- Step 4 Click Open Windows Defender Security Center.
- Step 5 Check whether the firewall is turned off. If the firewall needs to be turned on, check whether the connection is allowed. For the method to allow program connection, see 6.2 How to set the inbound firewall rules?

Device performance &

No action needed.

health



8 www.novastar.tech

Family options Manage how your family

uses their devices.

4.3 Screen off and Sleep

- Step 1 Click in the Windows Start menu.
- Step 2 Choose System.
- Step 3 Choose Power & sleep.
- Step 4 Check whether all the four configuration options are set to **Never**.

Figure 4-4 Screen off and sleep




4.4 Scaling Size and Multiple Displays

- Step 1 Click in the Windows Start menu.
- Step 2 Choose System.
- Step 3 Check whether the scaling size is 100% and the option of multiple displays is set to **Duplicate these displays**.

Note: When multiple monitors are connected, the configuration option for multiple displays will appear.

Figure 4-5 Scaling size and multiple displays



4.5 UAC

- Step 1 Click in the Windows Start menu.
- Step 2 Type "User Accounts" in the search box and select **Change User Account Control Settings**.
- Step 3 Check whether UAC is set to Never notify.


www.novastar.tech 10

♥OK Cancel

4.6 Antimalware Service Executable

- Step 1 Press Win + R buttons to open the Run window.
- Step 2 Type **gpedit.msc** command and press **Enter** to open the **Local Group Policy Editor** dialog box.
- Step 3 Expand Computer Configuration > Administrative Templates > Windows Components > Windows Defender Antivirus.
- Step 4 Click Real-time Protection.
- Step 5 Check whether the status of **Turn on process scanning whenever real-time protection is enabled** is **Disabled**.


Figure 4-7 Antimalware service executable



4.7 Superfetch

- Step 1 Press Win + R buttons to open the Run window.
- Step 2 Type services.msc command and press Enter to open the Services dialog box.
- Step 3 Check whether the startup type of Superfetch is Manual.

Figure 4-8 Superfetch




5 General Functions

5.1 Setting Display Window

- Step 1 Open VPlayer.
- Step 2 Choose **Display**.

Figure 5-1 The Display page



Step 3 Set the position and size of the display window and select an option of keeping the window on top.

If **Same as Desktop** is enabled, the size of the display window will be the same as the size of the desktop.

The default shortcut to show or hide display window is Ctrl+H.

5.2 Locking Screen

You can use the locking function to make the screen stay in the current status.

Step 1 Open VPlayer.

- Step 2 In the top right corner of the page, click and select **Lock**.
 - If you have not set an unlocking password, the password setting page will appear.
 - If you have set an unlocking password, go to Step 3.

Step 3 Click OK.

To unlock the screen, press **Esc**, enter the password and press **Enter**. If you forgot the unlocking password, please send the random code in the dialog box to the technical engineer staff to deal with.

5.3 Setting System Information

Step 1 Open VPlayer.

Step 2 In the top right corner of the page, click and select **Settings**.

Table 5-1 System information

Description
Change the language of VPlayer, sync time, configure VPlayer to start up automatically, choose to exit or minimize the program when clicking the close button, set video volume and Video Decoder.
 Select Enable network time, and the PC will sync time based on the network time.
 Select Turn off video volume, and the next video and subsequent videos will be muted.
Set the directory to save files received by VPlayer.
Set keyboard shortcuts to show/hide the display window.
Set a password to unlock the screen. The screen can be locked when the password is set successfully.


Step 3 Click **OK** after the configuration is done.

5.4 Using VPlayer Helper

Step 1 Open VPlayer.

Step 2 At the top right, click and select **Helper**.

Figure 5-2 VPlayer Helper



Step 3 Use the functions in Table 5-2 as required.

Table 5-2 VPlayer Helper

Function	Description
Logs	Download and save running logs and play logs to a specified location.
Clear Cache	Delete the temporary files created during system running (which can free up disk space).
System Information	Detect PC information and export the detailed information to a specified location.
Playback Environment	Optimize the playback environment with one click to ensure stable playback for VPlayer.

5.5 Checking Software Information

- Step 1 Open VPlayer.
- Step 2 In the top right corner of the page, click and select **About**. View information such as the version and copyright of VPlayer.

6.1 How to deal with the problem that a video cannot be played normally?

Question

How to deal with the problem that VPlayer cannot play a video normally?


Answer

- Step 1 Use a third-party driver tool to check whether the video card driver, sound card driver and Inter bus driver are normal.
 - Yes: Go to Step 2.
 - No: Update the driver.
- Step 2 Check whether other players can play the video normally.
 - Yes: Contact NovaStar.
 - No: There is a problem with the video file.

6.2 How to set the inbound firewall rules?


- Step 1 Click in the Windows Start menu.
- Step 2 Choose Update & Security.
- Step 3 Choose Windows Security.
- Step 4 Click Open Windows Defender Security Center.
- Step 5 Click Firewall & network protection.
- Step 6 Click **Advanced Settings** and then click **Yes** to open the **Windows Defender Firewall with Advanced Security** dialog box.

Figure 6-1 Advanced settings




Step 7 Click Inbound Rules.

Figure 6-2 Inbound rules




- Step 8 On the right of the page, click **New Rule** to open the **New Inbound Rule Wizard** dialog box.
- Step 9 Select Program and click Next.

Figure 6-3 Rule type



Step 10 Click Browse, select Proto.exe from the local PC and then click Next.

Figure 6-4 Program selection



- Step 11 Select Allow the connection and click Next.
- Step 12 Select Domain, Private and Public and click Next.
- Step 13 Enter a name and click Finish.

Copyright © 2020 Xi'an NovaStar Tech Co., Ltd. All Rights Reserved.

No part of this document may be copied, reproduced, extracted or transmitted in any form or by any means without the prior written consent of Xi'an NovaStar Tech Co., Ltd.

Trademark

NOVA) 5TAR is a trademark of Xi'an NovaStar Tech Co., Ltd.

Statement

Thank you for choosing NovaStar's product. This document is intended to help you understand and use the product. For accuracy and reliability, NovaStar may make improvements and/or changes to this document at any time and without notice. If you experience any problems in use or have any suggestions, please contact us via the contact information given in this document. We will do our best to solve any issues, as well as evaluate and implement any suggestions.